UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/998,848	11/15/2001	Kenneth Y. Ogami	CYPR-CD01177M	6884

45545   7590   11/24/2008
CYPRESS C/O MURABITO, HAO & BARNES LLP
TWO NORTH MARKET STREET
THIRD FLOOR
SAN JOSE, CA 95113

EXAMINER
VO, TED T

ART UNIT	PAPER NUMBER
2191	

MAIL DATE	DELIVERY MODE
11/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>19 August 2008</u>.

2a)☒ This action is **FINAL**.　　　　2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-14,16-30 and 36</u> is/are pending in the application.

　　4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-14,16-30 and 36</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

　　Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

　　Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

　　a)☐ All　b)☐ Some * c)☐ None of:

　　　1.☐ Certified copies of the priority documents have been received.

　　　2.☐ Certified copies of the priority documents have been received in Application No. _____.

　　　3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

　　* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)
2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3)☐ Information Disclosure Statement(s) (PTO/SB/08)
　　Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
　　Paper No(s)/Mail Date. _____.
5)☐ Notice of Informal Patent Application
6)☐ Other: _____.

DETAILED ACTION

1.   This action is in response to the amendment filed on 08/19/2008.

Claims 1-14, 16-30, 36 are pending in this application.

Response to Arguments

2.   Applicants' arguments in the Remarks section filed on 08/19/2008 have been respectfully considered but not persuasive.

Applicants are to claim a system (claim 26) and various methods (claims 1, 13, 17, 21, 25). The claimed subject matters in the system appears drawn from Figures 5-7 in the specification's drawings. Figure 10 appears being a piece edited by the system of Figure 5-7. Because the code is edited, it is either integrated by the user at the time or linked to prebuilt-modules in the library. The code is nothing but the language used by Bindra, "module". It can be also equivalent to .asm modules as seen in Hamblen.

The System relied on by application for claiming the claim 26 is clearly the same as the system of Bindra:

Figure 4

4. The PSoC Designer is an integral part of the Windows-based development process. Its device editor employs a graphical interface to connect user modules, which are next mapped onto the SoCblocs on-chip. Finally, the user selects the pin assignments.

Using the above PSoC Designer installed in a fully support computer, the user can display graphical user interface comprising a collection of virtual blocks in a design system. Each of virtual blocks clearly links to a programmable module which is in the library or created by the user for presenting the function of the virtual block. The above PSoC Designer clearly allows the user to open another user interface that customizes the parameters for a selected block in the application design. Cleary, the input in this user interface automatically integrated into the source code which functionally represents for the configuration information for the selected

block in this application design. Thus, with the interaction of the user inputting via these user

interfaces, it will implement each selected block with a particular function to differ from others.

For example, the above PSoC Designer is interacted with a block, named "14 Bit ADC".

Therefore, this block is associated with the parameters such as digital, analog, timer, clock, etc.

The assignment of parameters in the user interface will cause a selected 14 Bit ADC to differ

from the others of the same type. Or, the user can select a MUX and assign input pins, timing,

etc. The inputs will implement the configuration values for each block that is connected to a

module behind the designer tool. When the run is implemented in the application design,

parameters and values in each of virtual blocks will map to resource registers in a processor

accordingly. This is just a common feature in any circuit designing, where the tool PSoC

Designer above does all the claimed features presenting in the amendment. This will address the

Applications' argument remarks filed on 08/19/2008.

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> A person shall be entitled to a patent unless –
>
> (a) A patent may not be obtained though the invention is not identically disclosed or
> described as set forth in section 102 of this title, if the differences between the subject
> matter sought to be patented and the prior art are such that the subject matter as a whole
> would have been obvious at the time the invention was made to a person having ordinary
> skill in the art to which said subject matter pertains. Patentability shall not be negatived
> by the manner in which the invention was made.

4.   Claim 1-14, 16-30, 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Bindra, "Programmable SoC Delivers A New Level Of System Flexibility", 2000, in view of

Hamblen, "Rapid Prototyping using Field Programmable logic Devices", 6-2000.

Given the broadest reasonable interpretation of followed claims in light of the specification.

As per Claim 1: Bindra discloses *A method for configuring a microcontroller,*

comprising:

displaying a first, graphical user interface comprising a collection of virtual

blocks in a design system (see figure 4, example, MUX, 14 Bit ADC: *virtual blocks*);

receiving a selection of a user module, wherein said user module comprises

information for implementing a function using a programmable physical block (Figure 4,

selecting a 14 Bit ADC, part of Library modules or user modules (p. 3, include line 5));

displaying a second graphical user interface operable for receiving user-

specifiable information about said user module (Figure 4, selecting a 14 Bit ADC as a virtual

block, and its module (p. 3) provided with user input parameters in the left area of the PSoC

Designer);

assigning a virtual block taken from said collection to said user module, wherein said

virtual block corresponds to said programmable physical block (Figure 4, selecting a 14 Bit

ADC, part of Library modules or user modules (p.3), and take the input parameters assigned by

user into the module); *and*

automatically constructing source code (This action is done obviously when run the program the represent the tool PSoC Designer, after parameters are assigned into a block. A simple circuitry is implemented by thousands/millions of virtual blocks; therefore it is impossible to program manually in the application generation. This is obviously done in IBM, Intel, Texas Instrument designed tool; otherwise, none of these companies cannot generate a chip) *comprising configuration information for said programmable physical block, wherein said configuration information is based on said user-specifiable information and comprises information that is loaded into a register of said programmable physical block to cause said programmable physical block to implement said function* (This limitation reads on the integration of an application designed under Figure 4. Example, configuration parameters of a selected 14-bit-ADC, of a MUX (i.e. 4-by-1 Multiplexer), counter, etc, are integrated with modules and loaded into resources registers when running the implementing application design).

Bindra does not explicitly address the claimed statement, "*automatically constructing source code*".

However, Hamblen shows a programmable on chip design process (p. 36, Figure 11) using a CAD tool that takes design virtual blocks and constructs source code. The source code in form assemble or machine language that is automatically generated by a C compiler to mapped on to the Virtual blocks designed from the CAD tool (See Figure 1: VHDL Design entity (i.e. Virtual blocks) connected with automatically generated code generated by a C Compiler, mapped to virtual blocks at gate levels in the CAD tool) for obviously disclosing: "*automatically constructing source code*"

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to know that, for an enablement, it requires every module in the PSoC

Designer discussed by Bindra is automatically generated into executable "code", and

automatically connected to a corresponding virtual block when a circuit is built in the system

by a PSoc Designer, shown by Bindra. It is obvious because, in order to present a functionality

of a circuit, a user <u>can manually program</u> a circuit in an assembly program with assigned

parameters presenting element configuration (i.e. a source code that represents for a circuit); but

it will **<u>take days</u>** for him to do so. For conforming to the availability of source code generation,

tools and compiler is available for use at that time, thus it will generate automatically into

assemble code and/or machine code for manual acts, as shown by Hamblen in Figure 11.

<u>As per Claim 26</u>: Bindra discloses

> A computer system comprising a processor coupled to a bus, a display device coupled to said bus, and a memory coupled to said bus, said memory containing instructions to implement a method for configuring a microcontroller, said method comprising:
>
> displaying a first graphical user interface comprising a collection of virtual blocks in a design system;
>
> receiving a selection of a user module, wherein said user module comprises information for implementing a function using a programmable physical block;
>
> displaying a second graphical user interface operable for receiving user-specifiable information about said user module;
>
> assigning a virtual block taken from said collection to said user module, wherein said virtual block corresponds to said programmable physical block; and
>
> automatically constructing assembly code holding configuration information for said programmable physical block, wherein said configuration information is based on said user-specifiable information and comprises information that is loaded into a resister of said programmable physical block to cause said programmable physical block to perform said function.

See Figure 4, It allows a user to select blocks in a first graphical user interface and to input/assign configuration parameters in the second graphical user interface, and see the rationale as addressed in the claim 1 above accordingly.

As per Claim 27: Regarding limitation, "The computer system of Claim 26, wherein said collection is displayed as a two dimensional array", see collection in the right bottom section of Figure 4.

As per Claim 28: Regarding limitation, *The computer system of Claim 26, wherein said assigning further comprises assigning a second virtual block to said user module*, it is either one of other blocks shown the right bottom section of Figure 4.

As per Claim 29: Regarding limitation, *The computer system of Claim 26, wherein said assembly code further comprises a symbolic name for a register address in said programmable physical block*, it is the code generated by the PSoC Design to the collection shown in the right bottom section of Figure 4, where the symbolic name for a register address is done by register mapping as addressed above.

As per Claim 30: Regarding limitation, *The computer system of claim 26 wherein said symbolic name is derived from said function*, it is functionalized to a circuit element, and based on pins assignment to the user module.

As per Claim 2: Bindra further discloses,

The method of Claim 1, wherein said function comprises a pulse width modulator (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 36, "PWMs").

As per Claim 3: Bindra further discloses, *The method of Claim 1, wherein said function comprises a timer.* (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 36, *"timers"*).

As per Claim 4: Bindra further discloses, *The method of Claim 1, wherein said function comprises an analog-to-digital converter* (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 35, "ADCs").

As per Claim 5: Bindra further discloses, *The method of Claim 1, wherein said function comprises a digital-to-analog converter* (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 35 "DACs").

As per Claim 6: Bindra further discloses, *The method of Claim 1, wherein said function comprises a counter* (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 36 "counters").

As per Claim 7: Bindra further discloses, *The method of Claim 1, wherein said function comprises a signal amplifier.* (See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 33 *"differential amplifiers"*).

As per Claim 8: Bindra further discloses, *The method of Claim 1, wherein said function provides serial communication.* (See Figure 4, refer to "User Module" that represents various Digital functions, and see P.3, line 9, "serial transmitters/receivers").

As per Claim 9: Bindra further discloses, *The method of Claim 1, wherein said collection is displayed as a two dimensional array of programmable analog virtual blocks and programmable digital virtual blocks.* (See collections in the right bottom section, which is *two-dimensional array*).

As per Claim 10: Bindra further discloses, *The method of Claim 1, wherein said assigning further comprises assigning a second virtual block to said user module* (See collections in the right bottom section, which is two *dimensional array*).

As per Claim 11: Bindra further discloses, *The method of Claim 1, wherein said source code comprises a symbolic name for a register address in said programmable physical block.* (Bindra: See page 2, lines 12-17 ('register space that holds the configuration information').

As per Claim 12: Bindra further discloses, *The method of Claim 11 wherein said symbolic name is derived from said function.* (See Bindra 'User module" in Figure 4, where user module represents a circuit element. Each circuit element is a symbolic name function: e.g.: ADC, DAC, Timer, Counter, etc).

As per Claim 13: See the rationale addressed in Claim 26.

As per Claim 14: Regarding,

"The method of Claim 13, wherein said automatically constructing further comprises:

computing a register address for a register within said programmable physical block;

determining a symbolic name for said register address, said symbolic name corresponding to

said user module and said circuit design; and substituting said symbolic name for a generic

name in said template assembly code". See page 2, lines 12-17 ('register space that holds the

configuration information') and page 6, lines 7- 13, ('user modules are selected, pins are

assigned, and register mapping are establish');

- *computing a register address for a register within said programmable block:* page 6, lines 7-

13, referring "register mapping"

- *determining a symbolic name for said register address, said symbolic name corresponding to*

said user module and said circuit design: page 2, lines 12-17, referring "holds the configuration

information".

- *substituting said symbolic name for a generic name in said template assembly code:* referring

the code construction performed by the PSoC Designer.

<u>As per Claim 16</u>: regarding limitations of Claim 16.

See page 2, lines 12-17 ('register space that holds the configuration information') and page 6,

lines 7- 13, ('user modules are selected, pins are assigned, and register mapping are establish')

for

- *determining a symbolic name corresponding to said user module and said circuit design;*

referring "holds the configuration information".

- *computing a register address for a register within said programmable block;* referring "register

mapping"

- assigning said symbolic name to said register address; and placing said symbolic name into

said assembly code in place of a generic name provided in said template assembly code file:

referring the code construction performed by the PSoC Designer.

As per Claim 17: See rationale addressed in the rejection of Claim 1/26 above.

As per Claim 18: See rationale addressed in the rejection of Claim 14 above.

As per Claim 19: See rationale addressed in the rejection of Claim 14 above.

As per Claim 20: See rationale addressed in the rejection of Claim 16 above.

As per Claim 21: See rationale addressed in the rejection of Claim 1/26 above.

As per Claim 22: See rationale addressed in the rejection of Claim 14 above.

As per Claim 23: See rationale addressed in the rejection of Claim 14 above.

As per Claim 24: See rationale addressed in the rejection of Claim 16 above.

As per Claim 25: See rationale addressed in the rejection of Claim 1/26 above.

As per Claim 36: Incorporated to the rejection of claim 1, Bindra and Hamblen further discloses

The method of Claim 1 wherein said automatically constructing source code comprises:

reading template files; substituting said user-specifiable comprising information specific to

said user module, information specific to said function and information specific to a control

parameter of said function for generic information in said template file to produce assembly,

include and

header files; compiling said assembly, include and header files to produce an

executable file; downloading said executable file as a code block to a memory of said

microcontroller; and executing said code block to configure said programmable block.

as in the Figures 7, 9-11 (Hamblen). It is obvious, because the claimed recitation conforms to or

complies with basis process of C compiler when it generates assembly language; i.e. a C

program has "include statements", or "header files"; therefore, every template created from the C

compiler for an assembly program will include with "header files" such #include statement on its

top. It is obvious because it is conforming to a C program → assembly program.

Conclusion

5.   Applicant's amendment necessitated the new ground(s) of rejection presented in this

Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from

the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the

mailing date of this final action and the advisory action is not mailed until after the end of the

THREE-MONTH shortened statutory period, then the shortened statutory period will expire on

the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be

calculated from the mailing date of the advisory action. In no event, however, will the statutory

period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ted T. Vo whose telephone number is (571) 272-3706. The examiner can normally be reached on 8:00AM to 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wei Y. Zhen can be reached on (571) 272-3708.

The facsimile number for the organization where this application or proceeding is assigned is the Central Facsimile number 571-273-8300.

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: 571-272-2100. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTV
November 14, 2008

/Ted T. Vo/
Primary Examiner, Art Unit 2191